

RBL SERIES

Marine Inside-Type Berth Light


- UL 1598A Marine Inside Type
- Wall Mount
- Compact Fluorescent Lamps



AZZ | R-A-L™
RIG-A-LITE

RBL SERIES

Marine Inside Type Berth Light



- UL 1598A Marine Inside Type
- Welded copper free aluminum housing
- Powder coated baked-on white polyester finish
- Neoprene close cell gasket
- All exposed hardware and inserts constructed of brass
- Heavy duty prismatic acrylic lens
- Wall mount

FLUORESCENT

RBL Series

UL1598A Marine Inside Type Berth Light • Welded Aluminum • Prismatic Acrylic Lens

Catalog Number Logic

RBL-2-13-A-LCO

1

2

3

4

5

1

BASIC SERIES

RBL Series Bunk Light
UL 1598A Marine Inside Type

2

NUMBER OF LAMPS

2 = 2 Lamps

3

LAMP CURRENT/LAMP WATTAGE

13 = 13 Watts

4

VOLTAGE/FREQUENCY

A = 120V 60HZ
B = 236V 60HZ
D = 220V 50HZ

5

OPTIONS¹

LCO = Less Convenience Outlet


¹Consult factory for pricing.

Catalog logic is for explaining catalog number structure only. Not all combinations are possible; consult factory for catalog numbers not listed in charts.

FLUORESCENT

RBL Series

UL1598A Marine Inside Type Berth Light • Welded Aluminum • Prismatic Acrylic Lens



- Welded copper free aluminum housing
- Baked-on powder coated polyester finish
- Prismatic acrylic lens
- Two pole 250V rocker switch
- Two 13-watt PL lamps
- Universal voltage electronic ballast standard
- Fixture without receptacle optional
- Stainless steel external hardware
- Internal visor/lamp shield

(Lamps are included)

No. of Lamps	Lamp Type	Voltage	Catalog Number
2	13 Watt, PL Lamp	120V 60HZ	RBL-2-13-A-LCO
	13 Watt, PL Lamp	236V 60HZ	RBL-2-13-B-LCO
	13 Watt, PL Lamp	220V 50HZ	RBL-2-13-D-LCO

Fixture Dimensions (inches)

